	CONNECTING CS INDUSTRIES (CS INDUSTRIES) (DI CONNECTING (CS INDUSTRIES) (DI CONNECTING (CS INDUSTRIES) (DI CONNECTING (CS INDUSTRIES) (DI CONNECTING) (CS INDUSTRIES) (CS INDU	PC, Bannockb	ourn, Illinois. A	All rights reserved u ntions.	nder both	This docume level parts, t	ent is a declarat he declaration e	on of the subs ncompasses a	stances with ll lower lev	nin the manufactur vel materials for w	er listed it hich the m	em. Note: if anufacturer	the item is an as has engineering	sembly with lower responsibility.
1752-21.1	IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute				*	* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi					als and Mfg Information			
Supplie	r Information													
Company name*				Company unique ID			Unique ID Authority				Response Date*			
nsemi											2023-06-08			
Contact N	Name	Title - Contact			]	Phone - Contact*				Email - Contact*				
Product-Env-Stewards			Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com			
Authorized Representative*			Title - Representative			]	Phone - Representative*				Email - Representative*			
Product-	Env-Stewards	Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com				
	Requester Item Number Mfr Item		Number Mfr Item Name				Effective Date	Date Version Manufacturing Site		١	Weight*	UOM	Unit Type	
	FSB50325AT			SPM5 V2 INV 250V 1.70hm			2023-06-08 CPA			3	3214.74	mg	Each	
/Ianufa	ecturing Proccess Information	tion												
	Terminal Plating / Grid Array Material		Terminal Base Alloy J-STD-020 M		-STD-020 MS	L Rating	Peak Process Body Temperat		perature M	Max Time at Peak	Temperat	ure Numb	er of Reflow Cyc	les
	Matte Tin (Sn) - annealed		CU Alloy NA			0 C		3	30 seco		ds 3			
omments	S													
or more	information regarding material	composition	please refer to	page 3										

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybromina contains a RoHS restricted substance inexces encompass all such components. Supplier cer as of the date that Supplier completes this for Company acknowledges that Supplier may h independently verified information provided certification in this paragraph. If the Company	ated biphenyls and/or polybrominated dip s of an applicable quantity limit, please in ifies that it gathered the information it pr m.Supplier acknowledges that Company ave relied on informationprovided by oth by others, Supplier agrees that, at a minir and the Supplier enter into a written agr esource of the Supplier's liability and the	henyl ethers (each a "RoHS restricted substa ndicate below which, if any, RoHS exemption ovides in this form using appropriate methoo will rely on this certification in determining ers in completing this form, and that Supplie num, itssuppliers have provided certification eement with respect to the identified part, the Company's remedies for issues that arise reg	nce") in exco n you believe ls to ensure i the compliar r may not ha s regarding t terms and co	e may apply. If the part is an assembly with low s accuracy and that such information is true an ce of its products with European Union member de independently verified such information. Ho neir contributions to the part, and those certifica	ove. If a homogeneous material within the part er level components, the declaration shall d correct to the best of its knowledge and belief, er state laws that implement the RoHS Directive. wever, in situations where Supplier has not ations are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 4 - Item(	s) does not contain RoHS restricted subst	ances per the definition above except for sele	ected exempt	ions Supplier Acceptance	* Accepted						
Exemption: 7a: Lead in high melting temp	erature type solders (i.e. lead based sol	der alloys containing 85% by weight or m	ore lead).								
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required Requester) and click on Submit Form to h			e drop-dowi	a. This will display the signature area. Digita	lly sign the declaration (if required by the						
Supplier Digital Signature	astislav Drska	Le									

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	20.5	mg	Supplier	Silicon (Si)	7440-21-3		20.5	mg
Die Attach	1.3	mg	Supplier	Silver (Ag)	7440-22-4		0.988	mg
			Supplier	Phenolic Resin-2	54208-63-8		0.312	mg
Die Attach Solder	4.0	mg	Supplier	Silver (Ag)	7440-22-4		0.1	mg
			А	Lead (Pb)	7439-92-1	7a	3.7	mg
			Supplier	Tin (Sn)	7440-31-5		0.2	mg
lead Frame	1351.45	mg	Supplier	Silver (Ag)	7440-22-4		19.7	mg
			Supplier	Iron (Fe)	7439-89-6		1.35	mg
			Supplier	Copper (Cu)	7440-50-8		1329.9956	mg
			Supplier	Phosphorus (P)	7723-14-0		0.4044	mg
Mold Compound-Black	1822.19	mg	Supplier	Ortho Cresol Novolac Resin	29690-82-2		264.0007	mg
			Supplier	Carbon Black (C)	1333-86-4		8.19	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		1549.9993	mg
Plating	13.8	mg	Supplier	Tin (Sn)	7440-31-5		13.8	mg
Wire Bond - Cu	1.5	mg	Supplier	Palladium (Pd)	7440-05-3		0.03	mg
			Supplier	Copper (Cu)	7440-50-8		1.47	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).