

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0875520687](#)
Status: **Active**
Overview: [EBBI 50D Connector System](#)
Description: 1.27mm Pitch EBBI 50D Receptacle, Through Hole, Right-Angle, with Beveled Metal Pins, 0.76µm Gold (Au) Selective Plating, 68 Circuits, Lead-Free

Documents:

[3D Model](#) [Packaging Specification PK-87552-100 \(PDF\)](#)
[Drawing \(PDF\)](#) [RoHS Certificate of Compliance \(PDF\)](#)
[Product Specification PS-87552-006-001 \(PDF\)](#)

Agency Certification

CSA LR19980
 UL E29179

General

Product Family PCB Receptacles
 Series [87552](#)
 Application Board-to-Board, Signal
 Overview [EBBI 50D Connector System](#)
 Product Name EBBI
 UPC 822348069637

Physical


Circuits (Loaded) 68
 Circuits (maximum) 68
 Color - Resin Black
 Durability (mating cycles max) 500
 Flammability 94V-0
 Glow-Wire Capable No
 Lock to Mating Part None
 Material - Metal Phosphor Bronze
 Material - Plating Mating Gold
 Material - Plating Termination Tin
 Material - Resin High Temperature Thermoplastic
 Net Weight 5.393/g
 Number of Rows 4
 Orientation Right Angle
 PC Tail Length 2.80mm
 PCB Locator Yes
 PCB Retention Yes
 PCB Thickness - Recommended 1.60mm
 Packaging Type Tray
 Pitch - Mating Interface 1.27mm
 Plating min - Mating 0.762µm
 Plating min - Termination 2.540µm
 Polarized to PCB Yes
 Surface Mount Compatible (SMC) Yes
 Temperature Range - Operating -55° to +105°C
 Termination Interface: Style Through Hole

Electrical

Current - Maximum per Contact 1.0A
 Voltage - Maximum 30V

Solder Process Data

Duration at Max. Process Temperature (seconds) 005
 Lead-freeProcess Capability SMC&WAVE



Series image - Reference only

EU ELV

Not Relevant

EU RoHS

Compliant

REACH SVHC

Not Contained Per -
 ED/61/2018 (27 June
 2018)

Halogen-Free

Status

Low-Halogen

For more information, please visit [Contact US](#)

China ROHS

ELV

RoHS Phthalates

China RoHS

Green Image

Not Relevant

Not Contained

Search Parts in this Series

[87552 Series](#)

Mates With

[71661](#)

Max. Cycles at Max. Process Temperature	001
Process Temperature max. C	270

Material Info

Reference - Drawing Numbers

Electrical Model Document	EE-87552-001, EE-87552-002
Packaging Specification	PK-87552-100
Product Specification	PS-87552-006-001
Sales Drawing	SD-87552-007

This document was generated on 01/15/2019

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION