ASSOCIATION CONNECTING ELECTRONICS INDUSTRIES* in	Iaterial Compositio Copyright 2005. IPC, Baternational and Pan-Ame	on Declar annockburn erican copyr	ration 1, Illinois. A right conven	ll rights reserved u tions.	nder both	This docume level parts, t	ent is a decla he declaratio	ration of n encom	f the substances passes all lowe	within the r er level mate	manufacture rials for wh	er listed ite hich the ma	m. Note: if nufacturer	f the item is an as has engineering	ssembly with lower responsibility.	
	IPC Web Site for Information on IPC-1752 Standard Form Ty				Form Type Distribute						ous Materia	als and Mfg Information				
Supplier Informatio)n															
Company name* Co			Company unique ID			Unique ID Authority					Response Date*					
onsemi											2023-06-08					
Contact Name	Ti	Title - Contact				Phone - Contact*					Email - Contact*					
Product-Env-Stewards			Product Enviro Compliance				NA					Product-Env-Stewards@onsemi.com				
Authorized Representative*			Title - Representative				Phone - Representative*					Email - Representative*				
Product-Env-Stewards			Product Enviro Compliance				NA					Product-Env-Stewards@onsemi.com				
Requester Iter	NCP81174MNTXG 4/3/2-Pha with Pow		em Number Mfr Item Name				Effective D	ate Ve	Version Manufacturing		ng Site	W	eight*	UOM	Unit Type	
				P-Phase Synchronous Buck Controller Power Saving Mode and PWM VID face		2023-06-08			PH1		70).33	mg	Each		
Manufacturing Pro	ccess Information									_						
Terminal Plating / Grid Array Material		Term	Terminal Base Alloy J-ST		-STD-020 MSI	L Rating	Peak P	Process Body Temperature M		re Max Tir	ne at Peak 7	Femperatu	re Numb	er of Reflow Cy	cles	
Precious metal (e.g. Ag,Au, NiPdAu) (no Sn)			CU Alloy 3		3		260		С	30	30 seco		conds 3			
Comments																
ATTENTION: MSL 3 R	ated item requires Bak	e and Dry l	Pack (after	electrical test)												
For more information re	garding material comp	osition plea	ase refer to	page 3												

RoHS Material Composition Declaration				Declaration Type *	Detailed
Directive 2015/863/EU amending RoHS Directive 2011/65/EU		nium (Cr6+), Polybro	ominated Biphenyls (PBB), Polybron	dmium and quantity limit of 0.1% by mass (100 minated Diphenyl Ethers (PBDE), and Bis(2-eth	
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all
Exemption List Version	EL-2011/534/EU				
Declaration Signature					
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the
Supplier Digital Signature Ra	stislav Drska	Le			

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless otherwise noted).									
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure	
Die	1.87	mg	Supplier	Silicon (Si)	7440-21-3		1.87	mg	
Die Attach	0.38	mg	Supplier	Silver (Ag)	7440-22-4		0.285	mg	
			Supplier	Epoxy resins	129915-35-1		0.095	mg	
Lead Frame	31.24	mg	Supplier	Silver (Ag)	7440-22-4		0.3124	mg	
			Supplier	Tin (Sn)	7440-31-5		0.0781	mg	
			Supplier	Zinc (Zn)	7440-66-6		0.0687	mg	
			Supplier	Chromium (Cr)	7440-47-3		0.0781	mg	
			Supplier	Copper (Cu)	7440-50-8		30.7027	mg	
Mold Compound-Black	36.19	mg		Epoxy Phenol Resin	proprietary data		3.7999	mg	
			Supplier	Fused Silica (SiO2)	60676-86-0		32.39	mg	
Plating	0.41	mg	Supplier	Palladium (Pd)	7440-05-3		0.0312	mg	
			В	Nickel (Ni)	7440-02-0		0.3731	mg	
			Supplier	Gold (Au)	7440-57-5		0.0057	mg	
Wire Bond - Cu	0.24	mg	Supplier	Copper (Cu)	7440-50-8		0.24	mg	

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).